
Product Name: PLAU Mouse Monoclonal Antibody**Catalog #: AMM82823**

For research use only.

Summary

Description	Mouse monoclonal Antibody
Host	Mouse
Application	WB,ICC,ELISA,FC
Reactivity	Human
Conjugation	Unconjugated
Modification	Unmodified
Isotype	Mouse IgG1
Clonality	Monoclonal
Form	Liquid
Concentration	1mg/ml
Storage	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
Shipping	Ice bags
Buffer	Purified antibody in PBS with 0.05% sodium azide
Purification	Affinity Purification

Application

Dilution Ratio	WB 1:500-1:2000,ICC 1:200-1:1000,ELISA 1:5000-1:20000,FC 1:200-1:400
Molecular Weight	48.5KDa

Antigen Information

Gene Name	PLAU
Alternative Names	ATF; QPD; UPA; URK; u-PA; BDPLT5
Gene ID	5328.0
SwissProt ID	P00749
Immunogen	Purified recombinant fragment of human PLAU (AA: 107-379) expressed in E. Coli.


Background

This gene encodes a secreted serine protease that converts plasminogen to plasmin. The encoded preproprotein is proteolytically processed to generate A and B polypeptide chains. These chains associate via a single disulfide bond to form the catalytically inactive high molecular weight urokinase-type plasminogen activator (HMW-uPA). HMW-uPA can be further


processed into the catalytically active low molecular weight urokinase-type plasminogen activator (LMW-uPA). This low molecular weight form does not bind to the urokinase-type plasminogen activator receptor. Mutations in this gene may be associated with Quebec platelet disorder and late-onset Alzheimer's disease. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed.

Research Area


Image Data




Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Western blot analysis using PLAU mouse mAb against PC-3 (1),MCF-7 (2), LNCap (3),DU145 (4),HCT116 (5),A549 (6),SK-OV-3 (7) and HEK293 (8) cell lysate.



Immunofluorescence analysis of HeLa cells using PLAU mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin.



Flow cytometric analysis of HeLa cells using PLAU mouse mAb (green) and negative control (red).



Flow cytometric analysis of HepG2 cells using PLAU mouse mAb (green) and negative control (red).