

Product Name: CD162 Mouse Monoclonal Antibody
Catalog #: AMM82888



Summary

Production Name	CD162 Mouse Monoclonal Antibody
Description	Mouse Monoclonal Antibody
Host	Mouse
Application	IHC,FC,ELISA
Reactivity	Human

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	Mouse IgG1
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Purified antibody in PBS with 0.05% sodium azide
Purification	Affinity Purification

Immunogen

Gene Name	CD162
Alternative Names	CLA; PSGL1; PSGL-1
Gene ID	6404.0
SwissProt ID	Q14242.Purified recombinant fragment of human CD162(AA: 42-320) expressed in E. Coli.

Application

Dilution Ratio	IHC:1:200-1:1000,FC:1:200-1:400,ELISA:1:10000
Molecular Weight	43.2kDa

Background


Product Name: CD162 Mouse Monoclonal Antibody
Catalog #: AMM82888




This gene encodes a glycoprotein that functions as a high affinity counter-receptor for the cell adhesion molecules P-, E- and L- selectin expressed on myeloid cells and stimulated T lymphocytes. As such, this protein plays a critical role in leukocyte trafficking during inflammation by tethering of leukocytes to activated platelets or endothelia expressing selectins. This protein requires two post-translational modifications, tyrosine sulfation and the addition of the sialyl Lewis x tetrasaccharide (sLex) to its O-linked glycans, for its high-affinity binding activity. Aberrant expression of this gene and polymorphisms in this gene are associated with defects in the innate and adaptive immune response. Alternate splicing results in multiple transcript variants.

Research Area

Image Data




Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Flow cytometric analysis of THP-1 cells using CD162 mouse mAb (green) and negative control (red).

Product Name: CD162 Mouse Monoclonal Antibody
Catalog #: AMM82888



Immunohistochemical analysis of paraffin-embedded human lung cancer tissues using CD162 mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded human cervical carcinoma tissues using CD162 mouse mAb with DAB staining.

Note

For research use only.