

## **Product Name: JAM3 Mouse Monoclonal Antibody**

Catalog #: AMM82946

For research use only.

# **Summary**

**Description** Mouse monoclonal Antibody

**Host** Mouse

**Application** WB,ELISA,FC

**Reactivity** Human

ConjugationUnconjugatedModificationUnmodifiedIsotypeMouse IgG1ClonalityMonoclonalFormLiquid

Concentration 1mg/ml

**Storage** Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

**Buffer** Purified antibody in PBS with 0.05% sodium azide

**Purification** Affinity Purification

# **Application**

**Dilution Ratio** WB 1:500-1:2000,ELISA 1:5000-1:20000,FC 1:200-1:400

Molecular Weight 35kDa

# **Antigen Information**

Gene Name JAM3

Alternative Names JAMC; JAM-2; JAM-3; JAM-C

 Gene ID
 83700.0

 SwissProt ID
 Q9BX67

**Immunogen** Purified recombinant fragment of human JAM3 (AA: extra 32-241) expressed in E. Coli.

### **Background**


Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, forming continuous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely through the paracellular space. The protein encoded by this immunoglobulin superfamily gene member is localized in the tight junctions between high




endothelial cells. Unlike other proteins in this family, the this protein is unable to adhere to leukocyte cell lines and only forms weak homotypic interactions. The encoded protein is a member of the junctional adhesion molecule protein family and acts as a receptor for another member of this family. A mutation in an intron of this gene is associated with hemorrhagic destruction of the brain, subependymal calcification, and congenital cataracts. Alternative splicing results in multiple transcript variants.

#### **Research Area**


# **Image Data**



Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)



Western blot analysis using JAM3 mouse mAb against SH-SY5Y (1) cell lysate.



Flow cytometric analysis of Hek293 cells using JAM3 mouse mAb (green) and negative control (red).