

## **Product Name: AFP Mouse Monoclonal Antibody**

Catalog #: AMM82947

For research use only.

### **Summary**

**Description** Mouse monoclonal Antibody

1mg/ml

**Host** Mouse

**Application** IHC,ELISA,FC

**Reactivity** Human

ConjugationUnconjugatedModificationUnmodifiedIsotypeMouse IgG2bClonalityMonoclonalFormLiquid

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

**Buffer** Purified antibody in PBS with 0.05% sodium azide

**Purification** Affinity Purification

#### **Application**

Concentration

**Dilution Ratio** IHC 1:200-1:1000,ELISA 1:5000-1:20000,FC 1:200-1:400

Molecular Weight 68.6kDa

# **Antigen Information**

Gene Name AFP

Alternative Names AFPD; FETA; HPAFP

 Gene ID
 174.0

 SwissProt ID
 P02771

Purified recombinant fragment of human AFP (AA: 19-210) expressed in HEK293-6e cells Immunogen

supernatant.

# **Background**


This gene encodes alpha-fetoprotein, a major plasma protein produced by the yolk sac and the liver during fetal life. Alpha-fetoprotein expression in adults is often associated with hepatocarcinoma and with teratoma, and has prognostic value for




managing advanced gastric cancer. However, hereditary persistance of alpha-fetoprotein may also be found in individuals with no obvious pathology. The protein is thought to be the fetal counterpart of serum albumin, and the alpha-fetoprotein and albumin genes are present in tandem in the same transcriptional orientation on chromosome 4. Alpha-fetoprotein is found in monomeric as well as dimeric and trimeric forms, and binds copper, nickel, fatty acids and bilirubin. The level of alpha-fetoprotein in amniotic fluid is used to measure renal loss of protein to screen for spina bifida and anencephaly.

#### **Research Area**


#### **Image Data**



Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Flow cytometric analysis of HepG2 cells using AFP mouse mAb (green) and negative control (red).



Immunohistochemical analysis of paraffin-embedded human brain tissues using AFP mouse mAb with DAB staining.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





Immunohistochemical analysis of paraffin-embedded human liver cancer tissues using AFP mouse mAb with DAB staining.