

Product Name: KMT6 Rabbit Polyclonal Antibody

Catalog #: APRab00134

For research use only.

Summary

Description Rabbit polyclonal Antibody

Host Rabbit

Application WB,IHC,ICC/IF,FC

Reactivity Human,Mouse,Rat

Conjugation Unconjugated

Modification Unmodified

Isotype IgG

ClonalityPolyclonalFormLiquidConcentration1mg/ml

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

Shipping Ice bags

Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% **Buffer**

glycerol.

Purification Affinity Chromatography

Application

Dilution Ratio WB 1:500-1:1000,IHC 1:50-1:100,ICC/IF 1:50-1:200,FC 1:50-1:100

Molecular Weight Calculated MW: 85 kDa; Observed MW: 98 kDa

Antigen Information

Gene Name EZH2

Alternative Names WVS; ENX1; KMT6; WVS2; ENX-1; EZH2b; KMT6A; EZH2

 Gene ID
 2146

 SwissProt ID
 Q15910

Immunogen A synthetic peptide of human KMT6/EZH2

Background

Polycomb group (PcG) protein. Catalytic subunit of the PRC2/EED-EZH2 complex, which methylates 'Lys-9' and 'Lys-27' of histone H3, leading to transcriptional repression of the affected target gene. Able to mono-, di- and trimethylate 'Lys-27' of

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




histone H3 to form H3K27me1, H3K27me2 and H3K27me3, respectively. Compared to EZH2-containing complexes, it is more abundant in embryonic stem cells and plays a major role in forming H3K27me3, which is required for embryonic stem cell identity and proper differentiation.


Research Area

Epigenetics and Nuclear Signaling


Image Data



Western blot analysis of KMT6 / EZH2 in HEK293 lysates using KMT6 antibody.



Immunohistochemistry analysis of paraffin-embedded Human tonsil using KMT6 / EZH2 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunofluorescence analysis of KMT6 in Hela using KMT6 / EZH2 antibody.