

# **Product Name:** DARPP-32 (phospho Thr34) Rabbit Polyclonal Antibody

Catalog #: APRab04538

For research use only.

## **Summary**

**Description** Rabbit polyclonal Antibody

**Host** Rabbit

ApplicationWB,IHC,ICC/IF,ELISAReactivityHuman,Mouse,RatConjugationUnconjugatedModificationPhosphorylated

**Isotype** IgG

ClonalityPolyclonalFormLiquidConcentration1mg/ml

**Storage** Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type **Buffer** 

preservative N.

**Purification** Affinity purification

## **Application**

**Dilution Ratio** WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:200-1:1000,ELISA 1:5000-1:20000

Molecular Weight 35kDa

# **Antigen Information**

Gene Name PPP1R1B

PPP1R1B; DARPP32; Protein phosphatase 1 regulatory subunit 1B; DARPP-32; Dopamine-

Alternative Names and cAMP-regulated neuronal phosphoprotein

 Gene ID
 84152.0

 SwissProt ID
 O9UD71

The antiserum was produced against synthesized peptide derived from human DARPP-32 Immunogen

around the phosphorylation site of Thr34. AA range:18-67

# **Background**




This gene encodes a bifunctional signal transduction molecule. Dopaminergic and glutamatergic receptor stimulation regulates its phosphorylation and function as a kinase or phosphatase inhibitor. As a target for dopamine, this gene may serve as a therapeutic target for neurologic and psychiatric disorders. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2011],function:Inhibitor of protein-phosphatase 1.,PTM:Dopamine- and cyclic AMP-regulated neuronal phosphoprotein.,PTM:Phosphorylation of Thr-34 is required for activity.,similarity:Belongs to the protein phosphatase inhibitor 1 family.,


#### **Research Area**

Neuroscience


### **Image Data**




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using DARPP-32 (Phospho-Thr34) Antibody



Immunofluorescence analysis of HepG2 cells, using DARPP-32 (Phospho-Thr34) Antibody. The picture on the right is blocked with the phospho peptide.



Immunohistochemistry analysis of paraffin-embedded human brain, using DARPP-32 (Phospho-Thr34) Antibody. The picture on the right is blocked with the phospho peptide.





Western blot analysis of lysates from NIH/3T3 cells treated with PMA 125ng/ml 30 ', using DARPP-32 (Phospho-Thr34) Antibody. The lane on the right is blocked with the phospho peptide.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



Western Blot analysis of various cells using Phospho-DARPP-32 (T34) Polyclonal Antibody diluted at 1: 1000





Western Blot analysis of RAT-musle cells using Phospho-DARPP-32 (T34) Polyclonal Antibody diluted at 1: 1000