Antibody

Catalog #: APRab04794



Summary

Hrs (phospho Tyr216) Rabbit Polyclonal Antibody **Production Name**

Description Rabbit Polyclonal Antibody

Rabbit Host **Application** WB.ELISA

Reactivity Human, Mouse, Rat

Performance

Conjugation Unconjugated Modification Phosphorylated

Isotype IgG

Clonality Polyclonal **Form** Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type Buffer

preservative N.

Purification Affinity purification

Immunogen

Gene Name HGS

HGS; HRS; Hepatocyte growth factor-regulated tyrosine kinase substrate; Hrs; Protein **Alternative Names**

pp110

Gene ID 9146.0

O14964. Synthesized phospho-peptide around the phosphorylation site of human Hrs SwissProt ID

(phospho Tyr216)

Application

Dilution Ratio WB 1:500-1:2000, ELISA 1:10000. Not yet tested in other applications.

Molecular Weight 115kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Catalog #: APRab04794



Background

The protein encoded by this gene regulates endosomal sorting and plays a critical role in the recycling and degradation of membrane receptors. The encoded protein sorts monoubiquitinated membrane proteins into the multivesicular body, targeting these proteins for lysosome-dependent degradation. [provided by RefSeq, Dec 2010],domain:Has a double-sided UIM that can bind 2 ubiquitin molecules, one on each side of the helix., function: Involved in intracellular signal transduction mediated by cytokines and growth factors. When associated with STAM, it suppresses DNA signaling upon stimulation by IL-2 and GM-CSF. Could be a direct effector of PI3-kinase in vesicular pathway via early endosomes and may regulate trafficking to early and late endosomes by recruiting clathrin. May concentrate ubiquitinated receptors within clathrincoated regions. Involved in down-regulation of receptor tyrosine kinase via multivesicular body (MVBs) when complexed with STAM (ESCRT-0 complex). The ESCRT-0 complex binds ubiquitin and acts as sorting machinery that recognizes ubiquitinated receptors and transfers them to further sequential lysosomal sorting/trafficking processes. May contribute to the efficient recruitment of SMADs to the activin receptor complex, PTM: Phosphorylated on Tyr-334. A minor site of phosphorylation on Tyr-329 is detected (By similarity). Phosphorylation occurs in response to EGF, IL-2, GM-CSF and HGF., similarity: Contains 1 FYVE-type zinc finger., similarity: Contains 1 UIM (ubiquitin-interacting motif) repeat., similarity: Contains 1 VHS domain., subunit: Component of the ESCRT-0 complex composed of STAM or STAM2 and HGS. Part of a complex at least composed of HSG, STAM2 (or probably STAM) and EPS15. Interacts with STAM. Interacts with STAM2. Interacts with EPS15; the interaction is direct, calcium-dependent and inhibited by SNAP25. Interacts with NF2; the interaction is direct. Interacts with ubiquitin; the interaction is direct. Interacts with VPS37C. Interacts with SMAD1, SMAD2 and SMAD3. Interacts with TSG101; the interaction mediates the association with the ESCRT-I complex. Interacts with SNAP25; the interaction is direct and decreases with addition of increasing concentrations of free calcium. Interacts with SNX1; the interaction is direct. Component of a 550 kDa membrane complex at least composed of HGS and SNX1 but excluding EGFR., tissue specificity: Ubiquitous expression in adult and fetal tissues with higher expression in testis and peripheral blood leukocytes.,

Research Area

Endocytosis;


Image Data

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Antibody




Catalog #: APRab04794



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Hrs (Phospho-Tyr216) Antibody

Western blot analysis of lysates from A549 cells, using phospho-Hrs (Phospho-Tyr216) antibody.



Western Blot analysis of various cells using Phospho-Hrs (Y216) Polyclonal Antibody

Note

For research use only.