Product Name: CIDE-3 Rabbit Polyclonal Antibody

Catalog #: APRab08812



Summary

CIDE-3 Rabbit Polyclonal Antibody **Production Name**

Description Rabbit Polyclonal Antibody

Host Rabbit

Application IHC-P,IF-P,IF-F,ICC/IF,ELISA

Reactivity Human, Rat, Mouse

Performance

Conjugation Unconjugated Modification Unmodified

Isotype lgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type **Buffer**

preservative N.

Purification Affinity purification

Immunogen

Gene Name CIDEC

CIDEC; FSP27; Cell death activator CIDE-3; Cell death-inducing DFFA-like effector **Alternative Names**

protein C; Fat-specific protein FSP27 homolog

Gene ID 63924.0

Q96AQ7.The antiserum was produced against synthesized peptide derived from SwissProt ID

human CIDEC. AA range:189-238

Application

IHC-P 1:100-1:300, IF-P/IF-F/ICC/IF 1:200-1:1000, ELISA 1:5000.Not yet tested in other **Dilution Ratio**

applications.

Product Name: CIDE-3 Rabbit Polyclonal Antibody

Catalog #: APRab08812




Molecular Weight

Background


cell death inducing DFFA like effector c(CIDEC) Homo sapiens This gene encodes a member of the cell death-inducing DNA fragmentation factor-like effector family. Members of this family play important roles in apoptosis. The encoded protein promotes lipid droplet formation in adipocytes and may mediate adipocyte apoptosis. This gene is regulated by insulin and its expression is positively correlated with insulin sensitivity. Mutations in this gene may contribute to insulin resistant diabetes. A pseudogene of this gene is located on the short arm of chromosome 3. Alternatively spliced transcript variants that encode different isoforms have been observed for this gene. [provided by RefSeq, Dec 2010],function:Isoforms 1 and 2 induce apoptosis, similarity:Contains 1 CIDE-N domain, subcellular location:Cytoplasmic in a punctate manner, tissue specificity:Expressed mainly in small intestine, heart, colon and stomach and, at lower levels, in brain, kidney and liver,

Research Area

Image Data



Immunofluorescence analysis of HeLa cells, using CIDEC Antibody. The picture on the right is blocked with the synthesized peptide.



Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: CIDE-3 Rabbit Polyclonal Antibody Catalog #: APRab08812

y



Immunohistochemistry analysis of paraffin-embedded human colon carcinoma tissue, using CIDEC Antibody. The picture on the right is blocked with the synthesized peptide.

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838