Product Name: Ephrin-B1 Rabbit Polyclonal Antibody Catalog #: APRab10539



Summary

Production Name Ephrin-B1 Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

Reactivity Human, Mouse, Rat, Monkey

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type **Buffer**

preservative N.

Purification Affinity purification

Immunogen

Gene Name EFNB1

EFNB1; EFL3; EPLG2; LERK2; Ephrin-B1; EFL-3; ELK ligand; ELK-L; EPH-related receptor Alternative Names

tyrosine kinase ligand 2; LERK-2

Gene ID 1947.0

P98172.The antiserum was produced against synthesized peptide derived from human SwissProt ID

EFNB1. AA range:283-332

Application

Dilution Ratio WB 1:500-1:2000, ELISA 1:40000.Not yet tested in other applications.

Molecular Weight 38kDa

Product Name: Ephrin-B1 Rabbit Polyclonal Antibody Catalog #: APRab10539




Background

The protein encoded by this gene is a type I membrane protein and a ligand of Eph-related receptor tyrosine kinases. It may play a role in cell adhesion and function in the development or maintenance of the nervous system. [provided by RefSeq, Jul 2008], disease:Defects in EFNB1 are a cause of craniofrontonasal syndrome (CFNS) [MIM:304110]; also known as craniofrontonasal dysplasia (CFND). CFNS is an X-linked inherited syndrome characterized by hypertelorism, coronal synostosis with brachycephaly, downslanting palpebral fissures, clefting of the nasal tip, joint anomalies, longitudinally grooved fingernails and other digital anomalies, function:Binds to the receptor tyrosine kinases EPHB1 and EPHA1. Binds to, and induce the collapse of, commissural axons/growth cones in vitro. May play a role in constraining the orientation of longitudinally projecting axons, induction:By TNF-alpha.,PTM:Inducible phosphorylation of tyrosine residues in the cytoplasmic domain, similarity:Belongs to the ephrin family, subunit:Interacts with GRIP1 and GRIP2, tissue specificity:Heart, placenta, lung, liver, skeletal muscle, kidney, pancreas.,


Research Area

Axon guidance;

Image Data



Western blot analysis of lysates from COS7 cells, using EFNB1 Antibody. The lane on the right is blocked with the synthesized peptide.



Product Name: Ephrin-B1 Rabbit Polyclonal Antibody Catalog #: APRab10539



Western Blot analysis of various cells using Ephrin-B1 Polyclonal Antibody

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838