Product Name: FGF-17 Rabbit Polyclonal Antibody

Catalog #: APRab10925



Summary

Production Name FGF-17 Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit

Application WB,IHC-P,IF-P,IF-F,ICC/IF,ELISA

Reactivity Human, Rat, Mouse

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type **Buffer**

preservative N.

Purification Affinity purification

Immunogen

Gene Name FGF17

Alternative Names FGF17; Fibroblast growth factor 17; FGF-17

Gene ID 8822.0

O60258.The antiserum was produced against synthesized peptide derived from the C-SwissProt ID

terminal region of human FGF17. AA range:267-216

Application

Dilution Ratio WB 1:500-1:2000, IHC-P 1:100-1:300, ELISA 1:10000, IF-P/IF-F/ICC/IF 1:50-200

Molecular Weight 25kDa

Product Name: FGF-17 Rabbit Polyclonal Antibody

Catalog #: APRab10925




Background

This gene encodes a member of the fibroblast growth factor (FGF) family. Member of the FGF family possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes including embryonic development cell growth, morphogenesis, tissue repair, tumor growth and invasion. This protein is expressed during embryogenesis and in the adult cerebellum and cortex and may be essential for vascular growth and normal brain development. Mutations in this gene are the cause of hypogonadotropic hypogonadism 20 with or without anosmia. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jan 2015],developmental stage:Detected in embryos at E14.5, but not at E10.5 and E19.5. Preferentially expressed in the neuroepithelia of the isthmus and septum of the embryonic brain at E14.5,,function:May be a signaling molecule in the induction and patterning of the embryonic brain,,similarity:Belongs to the heparin-binding growth factors family,,tissue specificity:Preferentially expressed in the embryonic brain.,


Research Area

MAPK ERK Growth; MAPK G Protein; Regulates Actin and Cytoskeleton; Pathways in cancer; Melanoma;

Image Data



Western Blot analysis of NIH-3T3 cells using FGF-17 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000




Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100

Product Name: FGF-17 Rabbit Polyclonal Antibody

Catalog #: APRab10925





Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100

Note

For research use only.