## **Product Name: IFN-α1 Rabbit Polyclonal Antibody**

Catalog #: APRab12400



## **Summary**

**Production Name** IFN-α1 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

**Reactivity** Human, Rat, Mouse

## **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

Clonality Polyclonal Form Liquid

**Storage** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type

preservative N.

**Purification** Affinity purification

### **Immunogen**

Buffer

Gene Name IFNA1/IFNA13

Alternative Names IFNA1; IFNA13; Interferon alpha-1/13; IFN-alpha-1/13; Interferon alpha-D; LeIF D

**Gene ID** 3439.0

P01562. The antiserum was produced against synthesized peptide derived from the C-SwissProt ID

terminal region of human IFNA1/13. AA range:140-189

## **Application**

**Dilution Ratio** WB 1:500-1:2000, ELISA 1:20000.Not yet tested in other applications.

Molecular Weight 22kDa

## **Background**

# Product Name: IFN-α1 Rabbit Polyclonal Antibody Catalog #: APRab12400




The protein encoded by this gene is produced by macrophages and has antiviral activity. This gene is intronless and the encoded protein is secreted. [provided by RefSeq, Sep 2011],function:Produced by macrophages, IFN-alpha have antiviral activities. Interferon stimulates the production of two enzymes: a protein kinase and an oligoadenylate synthetase, miscellaneous:Interferons alpha-1 and alpha-13 have identical protein sequences., polymorphism:Two forms exist; alpha-1a (shown here) and alpha-1b., similarity:Belongs to the alpha/beta interferon family.,

#### **Research Area**

Cytokine-cytokine receptor interaction; Regulation of autophagy; Antigen processing and presentation; Toll\_Like; RIG-I-like receptor; Cytosolic DNA-sensing pathway; Jak STAT; Natural killer cell mediated cytotoxicity; Autoimmune thyroid disease;

## **Image Data**



Western Blot analysis of BT474, A549 cells using IFN-α1 Polyclonal Antibody. Secondary antibody was diluted at 1:20000

#### Note

For research use only.