

## Summary

|                        |                                  |
|------------------------|----------------------------------|
| <b>Production Name</b> | KCNG3 Rabbit Polyclonal Antibody |
| <b>Description</b>     | Rabbit Polyclonal Antibody       |
| <b>Host</b>            | Rabbit                           |
| <b>Application</b>     | WB,IHC-P                         |
| <b>Reactivity</b>      | Human,Mouse,Rat                  |

## Performance

|                     |                                                                                                   |
|---------------------|---------------------------------------------------------------------------------------------------|
| <b>Conjugation</b>  | Unconjugated                                                                                      |
| <b>Modification</b> | Unmodified                                                                                        |
| <b>Isotype</b>      | IgG                                                                                               |
| <b>Clonality</b>    | Polyclonal                                                                                        |
| <b>Form</b>         | Liquid                                                                                            |
| <b>Storage</b>      | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.          |
| <b>Buffer</b>       | Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N. |
| <b>Purification</b> | Affinity purification                                                                             |

## Immunogen

|                          |                                                                                                                                                            |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Gene Name</b>         | KCNG3                                                                                                                                                      |
| <b>Alternative Names</b> | KCNG3; Potassium voltage-gated channel subfamily G member 3; Voltage-gated potassium channel subunit Kv10.1; Voltage-gated potassium channel subunit Kv6.3 |
| <b>Gene ID</b>           | 170850.0                                                                                                                                                   |
| <b>SwissProt ID</b>      | Q8TAE7.The antiserum was produced against synthesized peptide derived from human KCNG3. AA range:183-232                                                   |

## Application


|                         |                               |
|-------------------------|-------------------------------|
| <b>Dilution Ratio</b>   | WB 1:500-2000, IHC-P 1:50-300 |
| <b>Molecular Weight</b> | 50kDa                         |

## Background

Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. This gene encodes a member of the potassium channel, voltage-gated, subfamily G. This member is a gamma subunit functioning as a modulatory molecule. Alternative splicing results in two transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2008],domain:The segment S4 is probably the voltage-sensor and is characterized by a series of positively charged amino acids at every third position.,function:Potassium channel subunit. Modulates channel activity.,similarity:Belongs to the potassium channel family. G subfamily.,subcellular location:Has to be associated with KCNB1 or possibly another partner to get inserted in the plasma membrane. Remains intracellular in the absence of KCNB1.,subunit:Heteromultimer with KCNB1, KCNC1 and KCNF1. Does not form homomultimers.,tissue specificity:Detected in many parts of the brain with the exception of the cerebellum, in testis, pancreas, lung, kidney, ovary, small intestine, colon, thymus, adrenal gland and spinal cord.,


## Research Area

## Image Data




Western blot analysis of lysates from MCF-7 cells, using KCNG3 Antibody. The lane on the right is blocked with the synthesized peptide.

**Product Name: KCNG3 Rabbit Polyclonal Antibody**  
**Catalog #: APRab12936**



Western blot analysis of the lysates from HeLa cells using KCNG3 antibody.



Western Blot analysis of MCF-7 cells using KCNG3 Polyclonal Antibody

## **Note**

For research use only.