

# **Product Name: MKP-5 Rabbit Polyclonal Antibody**

Catalog #: APRab13936

For research use only.

#### **Summary**

**Description** Rabbit polyclonal Antibody

**Host** Rabbit

Application WB,IHC,ELISA

**Reactivity** Human, Mouse, Rat

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquidConcentration1mg/ml

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type **Buffer** 

preservative N.

**Purification** Affinity purification

### **Application**

**Dilution Ratio** WB 1:500-1:2000,IHC 1:50-1:300,ELISA 1:2000-1:20000

Molecular Weight 52kDa

## **Antigen Information**

Gene Name DUSP10

DUSP10; MKP5; Dual specificity protein phosphatase 10; Mitogen-activated protein kinase

Alternative Names phosphatase 5; MAP kinase phosphatase 5; MKP-5

**Gene ID** 11221.0

SwissProt ID Q9Y6W6

**Immunogen** Synthesized peptide derived from MKP-5 . at AA range: 330-410

# **Background**

dual specificity phosphatase 10(DUSP10) Homo sapiens Dual specificity protein phosphatases inactivate their target kinases

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




by dephosphorylating both the phosphoserine/threonine and phosphotyrosine residues. They negatively regulate members of the MAP kinase superfamily, which is associated with cellular proliferation and differentiation. Different members of this family of dual specificity phosphatases show distinct substrate specificities for MAP kinases, different tissue distribution and subcellular localization, and different modes of expression induction by extracellular stimuli. This gene product binds to and inactivates p38 and SAPK/JNK. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2014],catalytic activity:A phosphoprotein + H(2)O = a protein + phosphate.,catalytic activity:Protein tyrosine phosphate + H(2)O = protein tyrosine + phosphate.,function:Involved in the inactivation of MAP kinases. Has a specificity for the MAPK11/MAPK12/MAPK13/MAPK14 subfamily.,similarity:Belongs to the protein-tyrosine phosphatase family. Non-receptor class dual specificity subfamily.,similarity:Contains 1 rhodanese domain.,similarity:Contains 1 tyrosine-protein phosphatase domain.,

#### **Research Area**

MAPK\_ERK\_Growth;MAPK\_G\_Protein;

### **Image Data**



Western Blot analysis of 3T3 cells using MKP-5 Polyclonal Antibody

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838