# **Product Name: MRP-L47 Rabbit Polyclonal Antibody**

Catalog #: APRab14132



## **Summary**

Production Name MRP-L47 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

Host Rabbit
Application WB,IHC-P

**Reactivity** Human, Rat, Mouse

# **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type **Buffer** 

preservative N.

**Purification** Affinity purification

# **Immunogen**

Gene Name MRPL47

MRPL47; NCM1; CGI-204; 39S ribosomal protein L47; mitochondrial; L47mt; MRP-L47; Alternative Names

Nasopharyngeal carcinoma metastasis-related protein 1

**Gene ID** 57129.0

Q9HD33.The antiserum was produced against synthesized peptide derived from SwissProt ID

human MRPL47. AA range:191-240

# **Application**

**Dilution Ratio** WB 1:500-2000, IHC-P 1:50-300

Molecular Weight 30kDa

# **Product Name: MRP-L47 Rabbit Polyclonal Antibody**

Catalog #: APRab14132




# **Background**


Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. This gene is immediately adjacent to the gene for BAF complex 53 kDa subunit protein a (BAF53a), in a tail-to-tail orientation. Two transcript variants encoding different protein isoforms have been identifies equence caution: Chimeric cDNA. Seems to include a portion of the orthologous murine sequence., similarity: Belongs to the ribosomal protein L47em family.,

#### **Research Area**

## **Image Data**



Western blot analysis of lysates from RAW264.7 and K562 cells, using MRPL47 Antibody. The lane on the right is blocked with the synthesized peptide.



# Product Name: MRP-L47 Rabbit Polyclonal Antibody Catalog #: APRab14132



Western blot analysis of the lysates from 293 cells using MRPL47 antibody.

#### Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838