
Product Name: NPY1-R Rabbit Polyclonal Antibody**Catalog #: APRab14859**

For research use only.

Summary

Description	Rabbit polyclonal Antibody
Host	Rabbit
Application	WB,ICC/IF,ELISA
Reactivity	Human,Mouse,Rat
Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Concentration	1mg/ml
Storage	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
Shipping	Ice bags
Buffer	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
Purification	Affinity purification

Application

Dilution Ratio	WB 1:500-1:2000,ICC/IF 1:200-1:1000,ELISA 1:5000-1:10000
Molecular Weight	48kDa

Antigen Information

Gene Name	NPY1R
Alternative Names	NPY1R; NPYR; NPY1; Neuropeptide Y receptor type 1; NPY1-R
Gene ID	4886.0
SwissProt ID	P25929
Immunogen	The antiserum was produced against synthesized peptide derived from human NPY1R. AA range:221-270

Background


This gene belongs to the G-protein-coupled receptor superfamily. The encoded transmembrane protein mediates the function

of neuropeptide Y (NPY), a neurotransmitter, and peptide YY (PYY), a gastrointestinal hormone. The encoded receptor undergoes fast agonist-induced internalization through clathrin-coated pits and is subsequently recycled back to the cell membrane. Activation of Y1 receptors may result in mobilization of intracellular calcium and inhibition of adenylate cyclase activity. [provided by RefSeq, Aug 2013],function:Receptor for neuropeptide Y and peptide YY. The rank order of affinity of this receptor for pancreatic polypeptides is NPY > [Pro-34] PYY, PYY and [Leu-31, Pro-34] NPY > NPY (2-36) > [Ile-31, Gln-34] PP and PYY (3-36) > PP > NPY free acid.,similarity:Belongs to the G-protein coupled receptor 1 family.,


Research Area

Neuroactive ligand-receptor interaction;


Image Data



Western blot analysis of lysates from NIH/3T3 cells, using NPY1R Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from 293 cells using NPY1R antibody.



Western Blot analysis of 3T3 cells using NPY1-R Polyclonal Antibody

