

# **Product Name: Olfactory receptor 10J1 Rabbit Polyclonal Antibody**

Catalog #: APRab15143

For research use only.

#### **Summary**

**Description** Rabbit polyclonal Antibody

**Host** Rabbit

ApplicationWB,ICC/IF,ELISAReactivityHuman,Rat,MouseConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquidConcentration1mg/ml

**Storage** Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type **Buffer** 

preservative N.

**Purification** Affinity purification

### **Application**

**Dilution Ratio** WB 1:500-1:2000,ICC/IF 1:200-1:1000,ELISA 1:5000-1:20000

Molecular Weight 30kDa

## **Antigen Information**

Gene Name OR10J1

**Alternative Names** 

**Gene ID** 26476.0

SwissProt ID P30954/Q2M1M8/Q5VSV1

The antiserum was produced against synthesized peptide derived from human OR10J1. AA **Immunogen** 

range:241-290

### **Background**

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor 1 family.,


#### **Research Area**

Olfactory transduction;


#### **Image Data**



Western blot analysis of lysates from 293 and Jurkat cells, using OR10J1 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from RAW264.7cells using OR10J1 antibody.



Western Blot analysis of various cells using Olfactory receptor 10J1 Polyclonal Antibody

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

