

Product Name: Olfactory receptor 4K14 Rabbit Polyclonal Antibody

Catalog #: APRab15230

For research use only.

Summary

Description Rabbit polyclonal Antibody

Host Rabbit
Application WB,ELISA

Reactivity Human, Monkey
Conjugation Unconjugated
Modification Unmodified

Isotype IgG

ClonalityPolyclonalFormLiquidConcentration1mg/ml

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

Shipping Ice bags

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type **Buffer**

preservative N.

Purification Affinity purification

Application

Dilution Ratio WB 1:500-1:2000,ELISA 1:5000-1:20000

Molecular Weight 37kDa

Antigen Information

Gene Name OR4K14

Alternative Names OR4K14; Olfactory receptor 4K14; Olfactory receptor OR14-22

 Gene ID
 122740.0

 SwissProt ID
 Q8NGD5

The antiserum was produced against synthesized peptide derived from human OR4K14. AA Immunogen

range:261-310

Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor 1 family.,


Research Area

Olfactory transduction;


Image Data



Western blot analysis of lysates from COS7 and HUVEC cells, using OR4K14 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from COLO205 cells using OR4K14 antibody.



Western Blot analysis of various cells using Olfactory receptor 4K14 Polyclonal Antibody diluted at 1: 2000

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

