

Product Name: Olfactory receptor 51B2 Rabbit Polyclonal Antibody Catalog #: APRab15242

For research use only.

Summary

Description Rabbit polyclonal Antibody

Host Rabbit

Application WB,ICC/IF,ELISA

Reactivity Human,Rat,Mouse

Conjugation Unconjugated

Modification Unmodified

Isotype IgG

ClonalityPolyclonalFormLiquidConcentration1mg/ml

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

Shipping Ice bags

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type **Buffer**

preservative N.

Purification Affinity purification

Application

Dilution Ratio WB 1:500-1:2000,ICC/IF 1:200-1:1000,ELISA 1:5000-1:20000

Molecular Weight 38kDa

Antigen Information

Alternative Names

Gene Name OR51B2

OR51B2; OR51B1P; Olfactory receptor 51B2; Odorant receptor HOR5'beta3; Olfactory

receptor 51B1

Gene ID 79345.0

SwissProt ID Q9Y5P1

The antiserum was produced against synthesized peptide derived from human OR51B2. AA Immunogen

range:196-245

Background




Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating pseudogene, where some individuals have an allele that encodes a functional olfactory receptor, while other individuals have an allele encoding afunction:Odorant receptor , similarity:Belongs to the G-protein coupled receptor 1 family.

Research Area


Olfactory transduction;

Image Data



Immunofluorescence analysis of LOVO cells, using OR51B2 Antibody. The picture on the right is blocked with the synthesized peptide.


Western blot analysis of lysates from HT-29 cells, using OR51B2 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from K562 cells using OR51B2 antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





Western Blot analysis of various cells using Olfactory receptor 51B2 Polyclonal Antibody diluted at 1: 500

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838