

Product Name: PFK-2 car Rabbit Polyclonal Antibody
Catalog #: APRab16012



Summary

Production Name	PFK-2 car Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,IHC-P,IF-P,IF-F,ICC/IF,ELISA
Reactivity	Human,Mouse,Rat

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	PFKFB2
Alternative Names	PFKFB2; 6-phosphofructo-2-kinase/fructose-2; 6-bisphosphatase 2; 6PF-2-K/Fru-2,6-P2ase 2; PFK/FBPase 2; 6PF-2-K/Fru-2,6-P2ase heart-type isozyme
Gene ID	5208.0
SwissProt ID	O60825.The antiserum was produced against synthesized peptide derived from human PFKFB2. AA range:451-500

Application

Dilution Ratio	WB 1:500-1:2000, IHC-P 1:100-1:300, ELISA 1:5000, IF-P/IF-F/ICC/IF 1:50-200
Molecular Weight	58kDa


Background

The protein encoded by this gene is involved in both the synthesis and degradation of fructose-2,6-bisphosphate, a regulatory molecule that controls glycolysis in eukaryotes. The encoded protein has a 6-phosphofructo-2-kinase activity that catalyzes the synthesis of fructose-2,6-bisphosphate, and a fructose-2,6-bisphosphatase activity that catalyzes the degradation of fructose-2,6-bisphosphate. This protein regulates fructose-2,6-bisphosphate levels in the heart, while a related enzyme encoded by a different gene regulates fructose-2,6-bisphosphate levels in the liver and muscle. This enzyme functions as a homodimer. Two transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq, Jul 2008], catalytic activity: $\text{ATP} + \text{D-fructose 6-phosphate} = \text{ADP} + \text{beta-D-fructose 2,6-bisphosphate}$, catalytic activity: $\text{Beta-D-fructose 2,6-bisphosphate} + \text{H}_2\text{O} = \text{D-fructose 6-phosphate} + \text{phosphate}$, enzyme regulation: Phosphorylation results in the activation of the kinase activity, function: Synthesis and degradation of fructose 2,6-bisphosphate, similarity: In the C-terminal section; belongs to the phosphoglycerate mutase family, subunit: Homodimer, tissue specificity: Heart,

Research Area


Fructose and mannose metabolism;

Image Data




Immunohistochemistry analysis of paraffin-embedded human colon carcinoma tissue, using PFKFB2 Antibody. The picture on the right is blocked with the synthesized peptide.

Product Name: PFK-2 car Rabbit Polyclonal Antibody
Catalog #: APRab16012



Western blot analysis of lysates from 293 cells, treated with Heat shock, using PFKFB2 Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using PFK-2 car Polyclonal Antibody

Note

For research use only.