

Product Name: PFK-B Rabbit Polyclonal Antibody**Catalog #: APRab16015**

For research use only.

Summary

Description	Rabbit polyclonal Antibody
Host	Rabbit
Application	WB,IHC,ICC/IF,ELISA
Reactivity	Human,Mouse,Rat
Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Concentration	1mg/ml
Storage	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
Shipping	Ice bags
Buffer	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
Purification	Affinity purification

Application

Dilution Ratio	WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:10000-1:20000
Molecular Weight	85kDa

Antigen Information

Gene Name	PFKL
Alternative Names	PFKL; 6-phosphofructokinase; liver type; Phosphofructo-1-kinase isozyme B; PFK-B; Phosphofructokinase 1; Phosphohexokinase
Gene ID	5211.0
SwissProt ID	P17858
Immunogen	The antiserum was produced against synthesized peptide derived from human K6PL. AA range:691-740


Background

This gene encodes the liver (L) subunit of an enzyme that catalyzes the conversion of D-fructose 6-phosphate to D-fructose 1,6-bisphosphate, which is a key step in glucose metabolism (glycolysis). This enzyme is a tetramer that may be composed of different subunits encoded by distinct genes in different tissues. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2014], catalytic activity: $\text{ATP} + \text{D-fructose 6-phosphate} = \text{ADP} + \text{D-fructose 1,6-bisphosphate}$, cofactor: Magnesium, enzyme regulation: Allosteric enzyme activated by ADP, AMP, or fructose bisphosphate and inhibited by ATP or citrate, miscellaneous: In human PFK exists as a system of 3 types of subunits, PFKM (muscle), PFKL (liver) and PFKP (platelet) isoenzymes, pathway: Carbohydrate degradation; glycolysis; D-glyceraldehyde 3-phosphate and glycerone phosphate from D-glucose: step 3/4, similarity: Belongs to the phosphofructokinase family. Two domains subfamily, subunit: Tetramer. Muscle is M4, liver is L4, and red cell is M3L, M2L2, or ML3,


Research Area

Glycolysis / Gluconeogenesis; Pentose phosphate pathway; Fructose and mannose metabolism; Galactose metabolism;

Image Data



Western blot analysis of lysates from A549 and NIH/3T3 cells, using K6PL Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using PFK-B Polyclonal Antibody diluted at 1:1000



Western Blot analysis of NIH-3T3 cells using PFK-B Polyclonal Antibody diluted at 1 : 1000