

---

**Product Name: PHAPI2 Rabbit Polyclonal Antibody****Catalog #: APRab16055**

For research use only.

**Summary**

<b>Description</b>	Rabbit polyclonal Antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,IHC,ELISA
<b>Reactivity</b>	Human,Mouse,Rat
<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Form</b>	Liquid
<b>Concentration</b>	1mg/ml
<b>Storage</b>	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
<b>Shipping</b>	Ice bags
<b>Buffer</b>	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
<b>Purification</b>	Affinity purification

**Application**

<b>Dilution Ratio</b>	WB 1:500-1:2000,IHC 1:50-1:300,ELISA 1:2000-1:20000
<b>Molecular Weight</b>	29kDa

**Antigen Information**

<b>Gene Name</b>	ANP32B ANP32B; APRIL; PHAPI2; Acidic leucine-rich nuclear phosphoprotein 32 family member B;
<b>Alternative Names</b>	Acidic protein rich in leucines; Putative HLA-DR-associated protein I-2; PHAPI2; Silver-stainable protein SSP29
<b>Gene ID</b>	10541.0
<b>SwissProt ID</b>	Q92688
<b>Immunogen</b>	The antiserum was produced against synthesized peptide derived from human ANP32B. AA range:1-50


## Background

function: Multifunctional protein working as a cell cycle progression factor as well as a cell survival factor. Required for the progression from the G1 to the S phase. Anti-apoptotic protein which functions as a caspase-3 inhibitor. Has no phosphatase 2A (PP2A) inhibitor activity., similarity: Belongs to the ANP32 family., similarity: Contains 4 LRR (leucine-rich) repeats., subcellular location: Accumulates in the nuclei at the S phase., tissue specificity: Expressed in heart, lung, pancreas, prostate and in spleen, thymus and placenta., function: Multifunctional protein working as a cell cycle progression factor as well as a cell survival factor. Required for the progression from the G1 to the S phase. Anti-apoptotic protein which functions as a caspase-3 inhibitor. Has no phosphatase 2A (PP2A) inhibitor activity., similarity: Belongs to the ANP32 family., similarity: Contains 4 LRR (leucine-rich) repeats., subcellular location: Accumulates in the nuclei at the S phase., tissue specificity: Expressed in heart, lung, pancreas, prostate and in spleen, thymus and placenta.,


## Research Area

Apoptosis; Intracellular; Caspases etc; Inhibitors; Cell Biology; Cell Cycle; Cell Division; Other cell division antibodies; Extracellular Signals; Death Ligands

## Image Data



Western blot analysis of lysates from rat brain cells, using ANP32B Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HeLa cells using ANP32B antibody.

Western Blot analysis of rat cells using PHAPI2 Polyclonal Antibody.

