

---

**Product Name: PinX1 Rabbit Polyclonal Antibody****Catalog #: APRab16159**

For research use only.

**Summary**

<b>Description</b>	Rabbit polyclonal Antibody
<b>Host</b>	Rabbit
<b>Application</b>	IHC,ICC/IF,ELISA
<b>Reactivity</b>	Human,Rat,Mouse
<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Form</b>	Liquid
<b>Concentration</b>	1mg/ml
<b>Storage</b>	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
<b>Shipping</b>	Ice bags
<b>Buffer</b>	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
<b>Purification</b>	Affinity purification

**Application**

**Dilution Ratio** IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:10000-1:20000

**Molecular Weight**

**Antigen Information**

<b>Gene Name</b>	PINX1
<b>Alternative Names</b>	PINX1; LPTL; LPTS; PIN2/TERF1-interacting telomerase inhibitor 1; Liver-related putative tumor suppressor; Pin2-interacting protein X1; Protein 67-11-3; TRF1-interacting protein 1
<b>Gene ID</b>	54984.0
<b>SwissProt ID</b>	Q96BK5
<b>Immunogen</b>	The antiserum was produced against synthesized peptide derived from human PINX1. AA range:121-170

**Background**

domain:The TID (telomerase inhibiting domain) domain is sufficient to bind TERT and inhibit its activity.,function:Inhibits telomerase activity. May inhibit cell proliferation and act as tumor suppressor.,similarity:Belongs to the PINX1 family.,similarity:Contains 1 G-patch domain.,subcellular location:In nucleoli and at telomere speckles.,subunit:Binds to MCRS1, TERT and TERF1.,tissue specificity:Ubiquitous; expressed at low levels. Not detectable in a number of hepatocarcinoma cell lines.,domain:The TID (telomerase inhibiting domain) domain is sufficient to bind TERT and inhibit its activity.,function:Inhibits telomerase activity. May inhibit cell proliferation and act as tumor suppressor.,similarity:Belongs to the PINX1 family.,similarity:Contains 1 G-patch domain.,subcellular location:In nucleoli and at telomere speckles.,subunit:Binds to MCRS1, TERT and TERF1.,tissue specificity:Ubiquitous; expressed at low levels. Not detectable in a number of hepatocarcinoma cell lines.,

## Research Area

Epigenetics and Nuclear Signaling; DNA / RNA; DNA Synthesis; Topoisomerases

## Image Data



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200 (4° overnight) . 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200 (room temperature, 45min) .