

Product Name: PTPZ Rabbit Polyclonal Antibody**Catalog #: APRab16684**

For research use only.

Summary

Description	Rabbit polyclonal Antibody
Host	Rabbit
Application	WB,IHC,ELISA
Reactivity	Human,Mouse,Rat
Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Concentration	1mg/ml
Storage	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
Shipping	Ice bags
Buffer	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
Purification	Affinity purification

Application

Dilution Ratio	WB 1:500-1:2000,IHC 1:50-1:300,ELISA 1:2000-1:20000
Molecular Weight	250kDa

Antigen Information

Gene Name	PTPRZ1 PTPRZ1; HTPZP2; PTPRZ; PTPRZ2; PTPZ; Receptor-type tyrosine-protein phosphatase zeta;
Alternative Names	R-PTP-zeta; Protein-tyrosine phosphatase receptor type Z polypeptide 1; Protein-tyrosine phosphatase receptor type Z polypeptide 2; R-PTP-zeta-2
Gene ID	5803.0
SwissProt ID	P23471
Immunogen	The antiserum was produced against synthesized peptide derived from human PTPRZ1. AA range:122-171


Background

This gene encodes a member of the receptor protein tyrosine phosphatase family. Expression of this gene is restricted to the central nervous system (CNS), and it may be involved in the regulation of specific developmental processes in the CNS. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, May 2011],catalytic activity:Protein tyrosine phosphate + H(2)O = protein tyrosine + phosphate.,caution:PubMed:8387522 and PubMed:2170109 have termed this protein RPTPase beta.,function:May be involved in the regulation of specific developmental processes in the CNS.,sequence caution:Contaminating sequence. The N-terminus may be contaminated with vector sequence.,similarity:Belongs to the protein-tyrosine phosphatase family. Receptor class 5 subfamily.,similarity:Contains 1 alpha-carbonic anhydrase domain.,similarity:Contains 1 fibronectin type-III domain.,similarity:Contains 2 tyrosine-protein phosphatase domains.,subunit:The carbonic-anhydrase like domain binds to contactin.,tissue specificity:Specifically expressed in the central nervous system, where it is localized in the Purkinje cell layer of the cerebellum, the dentate gyrus, and the subependymal layer of the anterior horn of the lateral ventricle. Developmentally regulated in the brain.,


Research Area

Epithelial cell signaling in Helicobacter pylori infection;

Image Data




Western blot analysis of PTPRZ1 Antibody. The lane on the right is blocked with the PTPRZ1 peptide.



Western blot analysis of the lysates from HeLa cells using PTPRZ1 antibody.

Western Blot analysis of various cells using PTP ζ Polyclonal Antibody diluted at 1: 500



Western Blot analysis of A549 cells using PTP ζ Polyclonal Antibody diluted at 1: 500

