# **Product Name: TMEM145 Rabbit Polyclonal Antibody**

Catalog #: APRab19047



### **Summary**

Production Name TMEM145 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

**Host** Rabbit

**Application** WB,IHC-P,IF-P,IF-F,ICC/IF,ELISA

**Reactivity** Human, Mouse

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type **Buffer** 

preservative N.

**Purification** Affinity purification

### **Immunogen**

Gene Name TMEM145

Alternative Names TMEM145; Transmembrane protein 145

**Gene ID** 284339.0

Q8NBT3.The antiserum was produced against synthesized peptide derived from **SwissProt ID** 

human TMEM145. AA range:58-107

## **Application**

WB 1:500-1:2000, IHC-P 1:100-1:300, IF-P/IF-F/ICC/IF 1:200-1:1000, ELISA 1:10000.Not

**Dilution Ratio** 

yet tested in other applications.

Molecular Weight 56kDa

# **Product Name: TMEM145 Rabbit Polyclonal Antibody**




Catalog #: APRab19047

### **Background**


TMEM145 (transmembrane protein 145) is a 493 amino acid protein encoded by a gene mapping to human chromosome 19. Consisting of around 63 million bases with over 1,400 genes, chromosome 19 makes up over 2% of human genomic DNA. Chromosome 19 includes a diversity of interesting genes and is recognized for having the greatest gene density of the human chromosomes. It is the genetic home for a number of immunoglobulin superfamily members including the killer cell and leukocyte Ig-like receptors, a number of ICAMs, the CEACAM and PSG family, and Fcα receptors. Key genes for eye color and hair color also map to chromosome 19. Peutz-Jeghers syndrome, spinocerebellar ataxia type 6, the stroke disorder CADASIL, hypercholesterolemia and insulin-dependent diabetes have been linked to chromosome 19. Translocations with chromosome 19 and chromosome 14 can be seen in some lymphoproliferative disorders and typically involve the proto-oncogene BCL3.

#### Research Area

#### **Image Data**



Western blot analysis of lysates from HepG2 cells, using TMEM145 Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using TMEM145 Polyclonal Antibody. Secondary antibody was diluted at 1:20000

# Product Name: TMEM145 Rabbit Polyclonal Antibody

Catalog #: APRab19047



### Note

For research use only.