Product Name: HDAC8 Rabbit Monoclonal Antibody

Catalog #: AMRe02077



Summary

Production Name HDAC8 Rabbit Monoclonal Antibody

Description Rabbit Monoclonal antibody

HostRabbitApplicationWB,IPReactivityHuman

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Monoclonal Form Liquid

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05%

protective protein

Purification Affinity Purification

Immunogen

Buffer

Gene Name HDAC8

Alternative Names HDAC8; HDACL1; CDA07; Histone deacetylase 8; HD8

 Gene ID
 55869

 SwissProt ID
 Q9BY41.

Application

Dilution Ratio WB: 1:500-1:1000 IP: 1:20

Molecular Weight Calculated MW: 42 kDa; Observed MW: 42 kDa

Background

Responsible for the deacetylation of lysine residues on the N-terminal part of the core histones (H2A, H2B, H3 and H4).

Product Name: HDAC8 Rabbit Monoclonal Antibody

Catalog #: AMRe02077




Histone deacetylation gives a tag for epigenetic repression and plays an important role in transcriptional regulation, cell cycle progression and developmental events. Histone deacetylases act via the formation of large multiprotein complexes. May play a role in smooth muscle cell contractility.

Research Area

Epigenetics and Nuclear Signaling

Image Data



Western blot analysis of HDAC8 in K562 lysates using HDAC8 antibody.

Note

For research use only.