Product Name: Histone H2A.X Rabbit Monoclonal

Antibody

Catalog #: AMRe02086



Summary

Production Name Histone H2A.X Rabbit Monoclonal Antibody

Description Recombinant rabbit monoclonal antibody

Host Rabbit

Application WB,IHC,ICC/IF,IP **Reactivity** Human,Mouse,Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Monoclonal

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw $\bf Storage$

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer**

protective protein

Purification Affinity Purification

Immunogen

Gene Name H2AX

Alternative Names H2A.X; H2AFX; H2a/x; HIST5-2AX; Histone H2A.X

 Gene ID
 3014

 SwissProt ID
 P16104.

Application

Dilution Ratio WB 1:500-1:1000,IHC 1:50-1:100,ICC/IF 1:50-1:200,IP 1:20-1:50

Molecular Weight Calculated MW: 15 kDa; Observed MW: 15 kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Histone H2A.X Rabbit Monoclonal

Antibody

Catalog #: AMRe02086




Background

Variant histone H2A which replaces conventional H2A in a subset of nucleosomes. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability.


Research Area

Epigenetics and Nuclear Signaling

Image Data



Immunocytochemistry analysis of Histone H2A.X (green) in HL-60 using Histone H2A.X antibody, and DAPI(blue).



Western blot analysis of Histone H2A.X in PC-12 lysates using Histone H2A.X antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Histone H2A.X Rabbit Monoclonal


Antibody

Catalog #: AMRe02086





Western blot analysis of Histone H2A.X in 3T3, Hela lysates using Histone H2A.X antibody



Immunohistochemistry analysis of paraffin-embedded Human colon cancer using Histone H2A.X antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.