Product Name: Lamin A/C Rabbit Monoclonal Antibody Enkilife Catalog #: AMRe02200

Summary

Production Name Lamin A/C Rabbit Monoclonal Antibody

Description Recombinant rabbit monoclonal antibody

Host Rabbit

ApplicationWB,IHC,ICC/IF,IPReactivityHuman,Mouse,Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Monoclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer**

protective protein

Purification Affinity Purification

Immunogen

Gene Name LMNA

Alternative Names LMNA; LMN1; Prelamin-A/C

 Gene ID
 4000

 SwissProt ID
 P02545.

Application

Dilution Ratio WB 1:500-1:1000,IHC 1:50-1:100,ICC/IF 1:50-1:200,IP 1:20-1:50

Molecular Weight Calculated MW: 74 kDa; Observed MW: 74,63 kDa

Background

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




Lamins are components of the nuclear lamina, a fibrous layer on the nucleoplasmic side of the inner nuclear membrane, which is thought to provide a framework for the nuclear envelope and may also interact with chromatin. Lamin A and C are present in equal amounts in the lamina of mammals. Play an important role in nuclear assembly, chromatin organization, nuclear membrane and telomere dynamics.

Prelamin-A/C can accelerate smooth muscle cell senescence. It acts to disrupt mitosis and induce DNA damage in vascular smooth muscle cells (VSMCs), leading to mitotic failure, genomic instability, and premature senescence.


Research Area

Tags & Cell Markers

Image Data




Western blot analysis of Lamin A/C in rat heart, rat skeletal muscle lysates using Lamin A/C antibody.




Western blot analysis of Lamin A/C in 3T3, Hela lysates using Lamin A/C antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





Immunocytochemistry analysis of Lamin A/C(green) in Hela using Lamin A/C antibody, and DAPI(blue)



Immunohistochemistry analysis of paraffin-embedded Human breast cancer using Lamin A/C antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.