

#### **Product Name: PBK Rabbit Monoclonal Antibody**

Catalog #: AMRe02404

For research use only.

### **Summary**

**Description** Recombinant rabbit monoclonal antibody

Host Rabbit
Application WB,IHC,IP

Reactivity Human, Mouse
Conjugation Unconjugated
Modification Unmodified

**Isotype** IgG

Clonality Monoclonal
Form Liquid

Concentration 0.65mg/ml. The concentration of this product may be batch-dependent.

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% Buffer

protective protein

**Purification** Affinity Purification

## **Application**

**Dilution Ratio** WB 1:500-1:1000,IHC 1:50-1:100,IP 1:20-1:50

Molecular Weight Calculated MW: 36 kDa; Observed MW: 40 kDa

# **Antigen Information**

Gene Name PBK

PBK; TOPK; Lymphokine-activated killer T-cell-originated protein kinase; Cancer/testis

Alternative Names antigen 84; CT84; MAPKK-like protein kinase; Nori-3; PDZ-binding kinase; Spermatogenesis-

related protein kinase; SPK; T-LAK cell-originated protein kinas

 Gene ID
 55872

 SwissProt ID
 Q96KB5

Immunogen Recombinant protein of human PBK/SPK

# **Background**




This genes encodes a serine/threonine kinase related to the dual specific mitogen-activated protein kinase kinase (MAPKK) family. Evidence suggests that mitotic phosphorylation is required for its catalytic activity. This mitotic kinase may be involved in the activation of lymphoid cells and support Ticular functions, with a suggested role in the process of spermatogenesis.


#### **Research Area**

Cell Biology

# **Image Data**



Immunohistochemistry analysis of paraffin-embedded mouse colon using PBK antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot analysis of PBK in K562, Hela lysates using PBK antibody.