

Product Name: Rb Rabbit Monoclonal Antibody

Catalog #: AMRe02530

For research use only.

Summary

Description Recombinant rabbit monoclonal antibody

Host Rabbit
Application WB
Reactivity Mouse

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Monoclonal
Form Liquid

Concentration 1mg/ml. The concentration of this product may be batch-dependent. **Storage** Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

Shipping Ice bags

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% Buffer

protective protein

Purification Affinity Purification

Application

Dilution Ratio WB 1:500-1:1000

Molecular Weight Calculated MW: 106 kDa; Observed MW: 110 kDa

Antigen Information

Gene Name RB1

Alternative Names RB1; Retinoblastoma-associated protein; p105-Rb; pRb; Rb; pp110

 Gene ID
 5925

 SwissProt ID
 P06400

Immunogen A synthetic peptide corresponding to target protein

Background

Cell cycle-dependent phosphorylation by a CDK inhibits Rb target binding and allows cell cycle progression. Rb inactivation and subsequent cell cycle progression likely requires an initial phosphorylation by cyclin D-CDK4/6 followed by cyclin E-CDK2

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




phosphorylation. Specificity of different CDK/cyclin complexes has been observed in vitro and cyclin D1 is required for Ser780 phosphorylation in vivo.

Research Area

Cell Biology

Image Data



Western blot analysis of Rb in 3T3 lysates using Rb antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838