

Summary

Production Name	MEK7 Rabbit Monoclonal Antibody
Description	Rabbit Monoclonal antibody
Host	Rabbit
Application	WB,IHC-F,IHC-P,FC
Reactivity	Human, Mouse, Rat

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% protective protein.
Purification	Affinity Purification

Immunogen

Gene Name	MAP2K7
Alternative Names	MAP2K7; JNKK2; MEK7; MKK7; PRKMK7; SKK4; Dual specificity mitogen-activated protein kinase kinase 7; MAP kinase kinase 7; MAPKK 7; JNK-activating kinase 2; MAPK/ERK kinase 7; MEK 7; Stress-activated protein kinase kinase 4; SAPK kinase 4; S
Gene ID	5609
SwissProt ID	O14733.

Application

Dilution Ratio	WB: 1:500-1:1000 IHC: 1:50-1:100 FC: 1:50-1:100
Molecular Weight	Calculated MW:48 kDa;Observed MW: 48 kDa

Product Name: MEK7 Rabbit Monoclonal Antibody
Catalog #: AMRe03944




Background

MKK7 is strongly activated by TNF- α , as well as other environmental stresses, whereas SEK1/MKK4, which activates both p38 and SAPK/JNK pathways, is not activated by TNF- α . Sequence alignment of the activation loop of the MAP kinase kinase family members indicates that Ser271 and Thr275 are potential phosphorylation sites that are crucial for the kinase activity.

Research Area

Signal Transduction

Image Data



Western blot analysis of MEK7 in HeLa lysates using MEK7 antibody.

Note

For research use only.