

Product Name: Phospho-Tau (S404) (13R18) Rabbit Monoclonal Antibody Catalog #: AMRe06034

For research use only.

Summary

Description Recombinant rabbit monoclonal antibody

Host Rabbit

ApplicationWB,IHC,ICC/IF,IF-PReactivityHuman,Mouse,RatConjugationUnconjugatedModificationPhosphorylated

Isotype IgG

Clonality Monoclonal

Form Liquid

Concentration 0.5mg/ml. The concentration of this product may be batch-dependent.

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

Shipping Ice bags

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% New type preservative

Buffer N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw

cycle.

Purification Affinity purification

Application

Dilution Ratio WB 1:500-1:2000,IHC 1:20-1:100,ICC/IF 1:20-1:50,IF-P 1:20-1:50

Molecular Weight 79kDa

Antigen Information

Alternative Names

Gene Name MAPT

MAPT; Microtubule-associated protein tau; MTBT1; Neurofibrillary tangle protein; Paired

helical filament-tau; PHF-tau

 Gene ID
 4137.0

 SwissProt ID
 P10636

Immunogen A synthetic phosphopeptide corresponding to residues surrounding Ser404 of human Tau

Background

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




Promotes microtubule assembly and stability, and might be involved in the establishment and maintenance of neuronal polarity. The C-terminus binds axonal microtubules while the N-terminus binds neural plasma membrane components, suggesting that tau functions as a linker protein between both. Promotes microtubule assembly and stability, and might be involved in the establishment and maintenance of neuronal polarity (PubMed:21985311). The C-terminus binds axonal microtubules while the N-terminus binds neural plasma membrane components, suggesting that tau functions as a linker protein between both (PubMed:21985311, PubMed:32961270). Axonal polarity is predetermined by TAU/MAPT localization (in the neuronal cell) in the domain of the cell body defined by the centrosome. The short isoforms allow plasticity of the cytoskeleton whereas the longer isoforms may preferentially play a role in its stabilization.

Research Area

 $MAPK_ERK_Growth; MAPK_G_Protein; Alzheimer's\ disease$

Image Data



Western blot analysis of Phospho-Tau (S404) expression in mouse brain cell lysate.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838