

# Product Name: Histone H3 (Di Methyl Lys9) Rabbit Monoclonal Antibody Catalog #: AMRe21084

For research use only.

#### **Summary**

**Description** Recombinant rabbit monoclonal antibody

**Host** Rabbit

**Application** WB,IHC,ICC/IF,ELISA,IP

**Reactivity** Human, Mouse, Rat

ConjugationMethylModificationMethylatedIsotypeIgG,KappaClonalityMonoclonal

Form Liquid

Concentration 0.2mg/ml. The concentration of this product may be batch-dependent.

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

**Buffer** PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protective protein

**Purification** Protein A

### **Application**

WB 1:2000-1:10000,IHC 1:4000-1:20000,ICC/IF 1:200-1:1000,ELISA 1:5000-1:20000,IP 1:50-

**Dilution Ratio** 

1:200

Molecular Weight Calculated MW:15kD;Observed MW:15kD

### **Antigen Information**

Gene Name HIST1H3A

H3K9ME2;HIST1H3A;H3FA;HIST1H3B;H3FL;HIST1H3C;H3FC;HIST1H3D;H3FB;HIST1H3E;H3F

D;HIST1H3F;H3FI;HIST1H3G;H3FH;HIST1H3H;H3FK;HIST1H3I;H3FF;HIST1H3J;H3FJ;Histone

H3.1;Histone H3/a;Histone H3/b;Histone H3/c;Histone H3/d;Histone H3/f;Histone Alternative Names

H3/h;Histone H3/j;Histone H3/j;Histone

H3/l;HIST2H3A;HIST2H3C;H3F2;H3FM;HIST2H3D;Histone H3.2;Histone H3/m;Histone

H3/o;H3F3A;H3.3A;H3F3;PP781;H3F3B;H3.3B;Histone H3.3

**Gene ID** 8350;8351;8352;8353;8354;8355;8356;8357;8358;8968

**SwissProt ID** P68431;Q71DI3;P84243

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



**Immunogen** 


A synthetic Methylated peptide corresponding to residues target protein

#### **Background**

Cell localization:Nucleus. Chromosome..Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq, Aug 2015],

#### **Research Area**

## **Image Data**



NIH-3T3 cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with Histone H3 (Di Methyl Lys9) Rabbit Monoclonal Antibody 1:1000. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838