

**Product Name: NCF4 Rabbit Monoclonal Antibody****Catalog #: AMRe84681**

For research use only.

**Summary**

<b>Description</b>	Recombinant rabbit monoclonal antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,IHC,ICC/IF,ICC,FC,IP
<b>Reactivity</b>	Human
<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Monoclonal
<b>Form</b>	Liquid
<b>Concentration</b>	0.62mg/ml. The concentration of this product may be batch-dependent.
<b>Storage</b>	Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.
<b>Shipping</b>	Ice bags
<b>Buffer</b>	Purified antibody in PBS with 0.05% sodium azide,0.05% protective protein and 50% glycerol.
<b>Purification</b>	Affinity Purification

**Application**

<b>Dilution Ratio</b>	WB 1:1000-1:2000,IHC 1:100-1:200,ICC/IF 1:50-1:200,ICC 1:50-1:200,FC 1:20-1:100,IP 1:20-1:50
<b>Molecular Weight</b>	39 kDa

**Antigen Information**

<b>Gene Name</b>	NCF4
<b>Alternative Names</b>	CGD3; NCF; Ncf4; p40phox; SH3PXD4;;Neutrophil cytosol factor 4
<b>Gene ID</b>	
<b>SwissProt ID</b>	Q15080
<b>Immunogen</b>	A synthesized peptide derived from human Neutrophil cytosol factor 4


**Background**

Component of the NADPH-oxidase, a multicomponent enzyme system responsible for the oxidative burst in which electrons


are transported from NADPH to molecular oxygen, generating reactive oxidant intermediates. It may be important for the assembly and/or activation of the NADPH-oxidase complex.

## Research Area


## Image Data



All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot analysis of NCF4 expression in MCF7 cell lysate.