

# **Product Name: Met (c-Met) Rabbit Monoclonal Antibody**

Catalog #: AMRe86342

For research use only.

### **Summary**

**Description** Recombinant rabbit monoclonal antibody

**Host** Rabbit

**Application** WB,IHC,ICC/IF,FC

**Reactivity** Human

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

Clonality Monoclonal
Form Liquid

Concentration 0.5mg/ml. The concentration of this product may be batch-dependent.

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

**Shipping** Ice bags

Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and **Buffer** 

0.05% protective protein. Stable for 12 months from date of receipt.

**Purification** Affinity Purification

## **Application**

**Dilution Ratio** WB 1:500-1:2000,IHC 1:200-1:2000,ICC/IF 1:500-1:1000,FC 1:200-1:500

Molecular Weight Calculated MW:156 kDa; Observed MW:170,140 kDa

## **Antigen Information**

Gene Name Met (c-Met)

Alternative Names HGFR; AUTS9; RCCP2; c-Met; DFNB97

 Gene ID
 4233

 SwissProt ID
 P08581

**Immunogen** Recombinant protein of human Met (c-Met)

# **Background**

This gene encodes a member of the receptor tyrosine kinase family of proteins and the product of the proto-oncogene MET. The encoded preproprotein is proteolytically processed to generate alpha and beta subunits that are linked via disulfide bonds


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



to form the mature receptor. Further processing of the beta subunit results in the formation of the M10 peptide, which has been shown to reduce lung fibrosis. Binding of its ligand, hepatocyte growth factor, induces dimerization and activation of the receptor, which plays a role in cellular survival, embryogenesis, and cellular migration and invasion. Mutations in this gene are associated with papillary renal cell carcinoma, hepatocellular carcinoma, and various head and neck cancers. Amplification and overexpression of this gene are also associated with multiple human cancers. [provided by RefSeq, May 2016]

#### **Research Area**

#### **Image Data**



Immunofluorescence analysis of HeLa cells labelling Met (c-Met) with Met (c-Met) Rabbit Monoclonal Antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838