

Product Name: Ionotropic Glutamate receptor 2 Rabbit Monoclonal Antibody Catalog #: AMRe87466

For research use only.

Summary

Description Recombinant rabbit monoclonal antibody

Host Rabbit

Application WB,IHC,IP

Reactivity Human, Mouse, Rat **Conjugation** Unconjugated

Modification Unmodified

Isotype IgG

Clonality Monoclonal

Form Liquid

Concentration

Storage Aliquot and store at -20°C (valid for 12 months). Avoid freeze/thaw cycles.

Shipping Ice bags

Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and **Buffer**

0.05% protective protein. Stable for 12 months from date of receipt.

Purification Affinity Purification

Application

Dilution Ratio WB 1:500-1:2000,IHC 1:200-1:500,IP 1:20-1:50

Molecular Weight Calculated MW:99 kDa; Observed MW:99 kDa

Antigen Information

Gene Name Ionotropic Glutamate receptor 2

Alternative Names GLUR2; GLURB; GluA2; HBGR2; GluR-K2

 Gene ID
 2891

 SwissProt ID
 P42262

Immunogen Recombinant protein of human Glutamate receptor 2

Background

Glutamate receptors are the predominant excitatory neurotransmitter receptors in the mammalian brain and are activated in a variety of normal neurophysiologic processes. This gene product belongs to a family of glutamate receptors that are sensitive

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838




to alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionate (AMPA), and function as ligand-activated cation channels. These channels are assembled from 4 related subunits, GRIA1-4. The subunit encoded by this gene (GRIA2) is subject to RNA editing (CAG->CGG; Q->R) within the second transmembrane domain, which is thought to render the channel impermeable to Ca(2+). Human and animal studies suggest that pre-mRNA editing is essential for brain function, and defective GRIA2 RNA editing at the Q/R site may be relevant to amyotrophic lateral sclerosis (ALS) etiology. Alternative splicing, resulting in transcript variants encoding different isoforms, (including the flip and flop isoforms that vary in their signal transduction properties), has been noted for this gene. [provided by RefSeq, Jul 2008]

Research Area

Image Data



Western blot analysis of extracts from Mouse brain tissue using lonotropic Glutamate receptor 2 Rabbit Monoclonal Antibody at 1:1000.



Western blot analysis of extracts from Mouse muscle tissue using AMRe87466 at 1:1000.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838