

**Product Name: Recombinant Human NKG2DL2(C-Fc)**  
**Catalog #: PHH1232**




---

## Summary

<b>Name</b>	NKG2D Ligand 2/NKG2DL2/N2DL2/ULBP-2
<b>Purity</b>	Greater than 95% as determined by reducing SDS-PAGE
<b>Endotoxin level</b>	<1 EU/μg as determined by LAL test.
<b>Construction</b>	Recombinant Human UL16 Binding Protein-2/NKG2D Ligand 2 is produced by our Mammalian expression system and the target gene encoding Gly26-Ser217 is expressed with a human IgG1 Fc tag at the C-terminus.
<b>Accession #</b>	Q9BZM5
<b>Host</b>	Human Cells
<b>Species</b>	Human
<b>Predicted Molecular Mass</b>	48.87 KDa
<b>Formulation</b>	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.
<b>Shipping</b>	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
<b>Stability&amp;Storage</b>	Lyophilized protein should be stored at ≤ -20°C, stable for one year after receipt. Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of reconstituted samples are stable at ≤ -20°C for 3 months.
<b>Reconstitution</b>	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

## SDS-PAGE image

**Product Name: Recombinant Human NKG2DL2(C-Fc)**  
**Catalog #: PHH1232**



### **Alternative Names**

NKG2D Ligand 2; N2DL-2; NKG2DL2; ALCAN-Alpha; Retinoic Acid Early Transcript 1H; UL16-Binding Protein 2; ULBP2; N2DL2; RAET1H

### **Background**

NKG2D Ligand 2 (N2DL2) is a member of a family of cell-surface proteins. N2DL2 function as ligands for human cytomegalovirus glycoprotein UL16. N2DL2 is anchored to the membrane via a GPI-linkage. N2DL2 is bind to human NKG2D, an activating receptor expressed on NK cells, NKT cells, T cells. Engagement of NKG2D results in the activation of cytolytic activity and cytokine production by these effects cells. The ULBPs are expressed on some tumor cells and have been implicated in tumor surveillance.

### **Note**

For Research Use Only , Not for Diagnostic Use.